

NEXSEAL BARRIER COTE, NEXSEAL HONEYCOMB GROUT AND NEXSEAL PLUG MATERIAL SAFETY DATA SHEET (MSDS)

Section I - Identification of Product and Company

Trade Product Name: Nexseal Barrier Cote, Nexseal Honeycomb Grout,

Nexseal Plug

Preparation/Revision Date: 03/15

Company Name: Nexgen Resources Ltd Emergency phone: 1 868 645-6589

Company Address: #76A Frederick Settlement, Industrial Estate, Caroni,

Trinidad, W.I

Information phone: 1 868 662-9736

WHMIS: D2b (Materials causing other toxic effects (skin or eye

Section II - Composition/Information on Hazardous Ingredients

HAZARDOUS INGREDIENTS % CAS N. Exposure Limits

Silica, Quartz, Crystalline 15-40 14808-60-7 0.05 mg respirable dust/m³ Portland Cement 15-70 65997-15-1 10 mg total dust/m³

Section III - Hazards Identification

HAZARD CLASSIFICATION None

Section IV - First Aid Measures

Treatment for Eye Contact: Immediately flush eyes with water for 15 minutes. If irritation

persists call physician.

Treatment for Skin Contact: Wash skin with soap and clean water. If irritation persists,

consult a physician.

Treatment for InhalationMove to fresh air. If breathing difficulty persists, consult a

physician.

Treatment for Ingestion Do not induce vomiting. Guard against aspiration into lungs.

Material is non-toxic. Give 2 glasses of water if victim is conscious

and alert. Consult a physician.

Section V - Firefighting Measures

Suitable extinguishing media: Not available. Not Flammable

Forbidden extinguishing media: Not available.

Special firefighting measures:None.Unusual fire and explosion hazards:None.Special protection equipment:None.

NEXSEAL BARRIER COTE, NEXSEAL HONEYCOMB GROUT AND NEXSEAL PLUG MATERIAL SAFETY DATA SHEET (MSDS)

Section VI - Accidental Release Measures

Treatment for Eye Contact: Immediately flush eyes with water for 15 minutes. If irritation

persists, call physician.

Treatment for Skin Contact: Wash skin with soap and clean water. If irritation persists, consult

a

physician.

Treatment for Inhalation Move to fresh air. If breathing difficulty persists, consult a

physician.

Treatment for Ingestion Do not induce vomiting. Guard against aspiration into lungs.

Material is non-toxic. Give 2 glasses of water if victim is conscious

and alert. Consult a physician.

Section VII - Handling and Storage

Handling Precautions: Adopt precautions provided in section VIII.

Precautions in case of Fire

and Explosion: Not available.

Storage Conditions: Store in a dry place. Keep containers closed to prevent moisture

absorption and contamination.

Suggested Container(s): Pails or bags that prevent access to moisture

Indication for Combined

Storage: Avoid contact with oxidizing agents and strong acids.

Other Precautions: Use according to directions.

Section VIII - Exposure controls/personal protection

Precautionary Measures: Ventilation

Local Exhaust Ventilation: Use the product in a well-ventilated area.

Special Ventilation:Mechanical (General) Ventilation:
None.
Other Ventilation:
None.

Limits TWA: Not applicable PEL: Not applicable

Respiratory Protection:None required under normal conditions.
Hands Protection:
Impervious gloves, neoprene type.

Eyes Protection: Safety glasses.

Skin Protection: Handle in accordance with good personal hygiene and safety

practices. These practices include avoiding unnecessary exposure.

Other Protective Equipment: In case of dust formation in air, wear mask with self-contained

breathing apparatus.

RESOURCES LID.

NEXSEAL BARRIER COTE, NEXSEAL HONEYCOMB GROUT AND NEXSEAL PLUG MATERIAL SAFETY DATA SHEET (MSDS)

Section IX - Physical and Chemical Properties

Boiling Point: Not Applicable Vapor Pressure: Not Applicable

Melting Point:Not establishedSpecific Gravity:1.3Solubility in water:5-15%Flash Point:305°CUpper explosivity limit:N/ALower explosivity limit: N/A

Evaporation Rate (n-butane=1): Not Applicable Vapor Density (air=1): Not Applicable

Appearance and Odour

(**Physical Form**): Grey odourless powder

Section X - Stability and Reactivity

Stability: Stable

Conditions to avoid: Not Applicable

Incompatibility (Materials to Avoid): Strong acids and oxidizing agents.

Hazardous Decomposition Products: None.

Hazardous Polymerization Products: Will not occur

Section XI - Toxicological Information

Carcinogenic\Teratogenic: No Data

Effects and Hazards of Skin Contact: May cause irritation. **Effects and Hazards of Eye Contact:** Will cause severe irritation.

Effects and Hazards of Inhalation: May cause irritation to the respiratory tract.

Effects and Hazards of Ingestion: Ingestion of small quantities of this material under

normal circumstances would not cause harmful

effects.

Effects for Prolonged Exposure: Prolonged inhalation of silica dust may result in

silicosis and silica dust is a suspected carcinogenic

Section X11– First Aid Measures

Eye Contact: Remove any contact lenses. Flush with large

amounts of clean water for 15 minutes. If irritation persists, seek medical attention.

Inhalation: Immediately move victim to fresh air.

Ingestion: Do not induce vomiting. Guard against aspiration

into lungs. Get prompt medical attention. Material is not toxic. If victim is conscious and alert, give two

glasses of water.

NEXSEAL BARRIER COTE, NEXSEAL HONEYCOMB GROUT AND NEXSEAL PLUG MATERIAL SAFETY DATA SHEET (MSDS)

Section XII1 - Ecological Information

There is no specific information on the product. Use according to good working practices, avoiding release of the product into environment.

Section X1V - Disposal Considerations

Incinerate or landfill in accordance with local regulations.

Section XV – First Aid Measures

Remove any contact lenses. Flush with large amounts of clean water for 15 minutes. If irritation

persists, seek medical attention.

Inhalation: Immediately move victim to fresh air.

Ingestion: Do not induce vomiting. Guard against aspiration into lungs. Get prompt medical attention. Material is

not toxic. If victim is conscious and alert, give two

glasses of water.

Manufacture's notes

- The information on this data sheet reflects the currently available knowledge and is reliable provided that
 the product is used under the prescribed conditions and in accordance with the application specified on
 the packaging and/or in the technical guidance literature. Any other use of the product, including the use
 of the product in combination with any other product or any other process, is the responsibility of the user.
- It is implicit that the user is responsible for determining appropriate safety measures and for applying the legislation covering his own activities.